



**Installation guideline for  
Luna Trio 1x4**




# LUNA TRIO 1x4


## Guideline for Luna Trio installation

Contemporary batten-look with easy installation.


actual size	1" x 3-5/8" (26x92 mm)
class	LunaThermo-D
species	Nordic pine
length	10-15 ft (3.0-4.5m)
sq.ft	3.63 ft/sqft (11.90 m/m2)
joist spacing	16"



### OUTDOOR AND CEILINGS, mounting with screws:



### INDOOR, mounting with nails:




Provide adequate support structure in accordance with your local building regulations. Do not install heavy objects directly to the product.

# LUNA TRIO 1x4

## Guideline for Luna Trio corner installation


### Miter 90 degree corner:

Split to a 45 degree angle



### Basic 90 degree corner:

Split to a 90 degree angle





Provide adequate support structure in accordance with your local building regulations. Do not install heavy objects directly to the product.



# LUNA TRIO 1x4

## Guideline for Luna Trio internal corner installation

Miter 90 degree internal corner:




Basic 90 degree internal corner:



Provide adequate support structure in accordance with your local building regulations. Do not install heavy objects directly to the product.

# General board joint guideline

---



## Fasten nails/screws to the correct depth



This brochure is provided for informational purposes only and no liability or responsibility of any kind is accepted by Lunawood or its representatives, although Lunawood has taken reasonable efforts to verify the accuracy of any advice, recommendation, or information. Lunawood reserves the right to alter its products, product information and product range without prior notice.